



Protouch2 MAC SDK Release Notes


<div> MICROCHIP Microchip Technology, Inc.</div> <div>Microchip Technology, Incorporated 2355 W. Chandler Boulevard Chandler, Arizona 85224 480/792-7416</div>			
REV	DATE	ORIGINATOR	DESCRIPTION OF CHANGE
1.1	10/15/2015	Karpagam A	Initial version
1.1.1	11/12/2015	Karpagam A	Changes from 1.1 to 1.1.1

Table of Contents

1	Introduction.....	4
2	Legal Information	4
3	OS supported.....	5
4	USB Controllers supported.....	5
5	Supported SKU List.....	5
6	Prerequisites.....	6
7	Package Content.....	7
7.1	mac	7
7.2	src	7
7.2.1	lib_src.....	7
7.2.2	app_src	7
8	Release History	7
8.1	Version 1.1.1	7
8.1.1	Changes.....	7
8.1.2	Features Addition.....	7
8.1.3	Bug Fixes	7
8.1.4	Known limitations.....	8
8.2	Version 1.1	8
8.2.1	PT2 library	8
8.2.1.1	Features.....	8
8.2.2	Sample application.....	8
8.2.2.1	Features.....	8
8.2.3	Known limitations.....	9

1 Introduction

This document provides release information about Protouch2 MAC SDK.

2 Legal Information

Software License Agreement

(c) 2004 - 2015 Microchip Technology Inc.

Microchip licenses this software to you solely for use with Microchip products. The software is owned by Microchip and its

licensors, and is protected under applicable copyright laws. All rights reserved.

SOFTWARE IS PROVIDED "AS IS" MICROCHIP EXPRESSLY DISCLAIMS ANY WARRANTY OF ANY KIND, WHETHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL MICROCHIP BE LIABLE FOR ANY INCIDENTAL, SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES, LOST PROFITS OR LOST DATA, HARM TO YOUR EQUIPMENT, COST OF PROCUREMENT OF SUBSTITUTE GOODS, TECHNOLOGY OR SERVICES, ANY CLAIMS BY THIRD PARTIES (INCLUDING BUT NOT LIMITED TO ANY DEFENSE THEREOF), ANY CLAIMS FOR INDEMNITY OR CONTRIBUTION, OR OTHER SIMILAR COSTS.

To the fullest extent allowed by law, Microchip and its licensors liability shall not exceed the amount of fees, if any, that you have paid directly to Microchip to use this software.

MICROCHIP PROVIDES THIS SOFTWARE CONDITIONALLY UPON YOUR ACCEPTANCE OF THESE TERMS.

Trademark Information

The Microchip name and logo, the Microchip logo, MPLAB, and PIC are registered trademarks of Microchip Technology

Incorporated in the U.S.A. and other countries.

PICDEM and PICtail are trademarks of Microchip Technology Incorporated in the U.S.A. and other countries.

Microsoft, Windows, Windows Vista, and Authenticode are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

SD is a trademark of the SD Association in the U.S.A and other countries

3 OS supported

- OS X Yosemite
- OS X Capitan

4 USB Controllers supported

1. EHCI - USB 2.0
2. XHCI - USB 3.0

Note: External PCI USB controllers are not supported.

5 Supported SKU List

The following devices are supported in this release

- USB2532
- USB2533
- USB2534
- USB3613
- USB3813
- USB4604
- USB4624
- USB84604

6 Prerequisites

- Xcode
- libusb

7 Package Content

The release package contains the following files and directories

7.1 *mac*

This Folder contains the pt2lib xcode project

- pt2lib.xcodeproj

7.2 *src*

This Folder contains source code for library(lib_src) and sample application (app_src)

7.2.1 lib_src

- MchpUSBInterface.cpp
- MchpUSBInterface.h
- typedef.h
- USB2530_SpiFlash.cpp
- USB2530_SpiFlash.h
- USBHubAbstraction.cpp
- USBHubAbstraction.h

7.2.2 app_src

- FlexConnect.cpp
- gpio.cpp
- i2c_bridging.cpp
- OTP_Programmer.cpp
- register_rw.cpp
- spi_bridging.cpp
- uart_bridging.cpp

8 Release History

8.1 *Version 1.1.1*

8.1.1 Changes

- Support added for OS X EI Capitan

8.1.2 Features Addition

- None

8.1.3 Bug Fixes

- None

8.1.4 Known limitations

- Programming multiple options (SPI Firmware, Configuration file, Serial Number) at one shot is not supported
- If multiple hubs with same vendor id and product id are connected, then the tool will select and connect to the first device.

8.2 *Version 1.1*

8.2.1 PT2 library

8.2.1.1 Features

Following API's are available as part of this release,

- Device Open / Close APIs
 - MchpUsbOpenID
 - MchpUsbClose
- GPIO Bridging APIs
 - MchpUsbGpioGet
 - MchpUsbGpioSet
 - MchpUsbConfigureGpio
- XDATA Bridging APIs
 - MchpUsbXdataRead
 - MchpUsbXdataWrite
- Flexconnect API
 - MchpUsbFlexConnect
- I2C Bridging APIs
 - MchpUsbI2CSetConfig
 - MchpUsbI2CRead
 - MchpUsbI2CWrite
 - MchpUsbI2CTransfer
- SPI Bridging APIs
 - MchpUsbSpiSetConfig
 - MchpUsbSpiFlashRead
 - MchpUsbSpiFlashWrite
 - MchpUsbSpiTransfer
- Programming APIs
 - MchpProgramFile

8.2.2 Sample application

8.2.2.1 Features

- These are the sample applications that can be used to exercise the API's provided in this release.
- There are 6 applications included.
 - Flex connect demo

- GPIO Toggle sample application
- Register read write sample application.
- I2C Bridging sample application
- SPI Bridging sample application
- OTP Programmer sample application

8.2.3 Known limitations

- Programming multiple options (SPI Firmware, Configuration file, Serial Number) at one shot is not supported
- If multiple hubs with same vendor id and product id are connected, then the tool will select and connect to the first device. This will be addressed in the next release.